

PROCEEDINGS

CLARKSVILLE COMMUNITY SCHOOL BOARD OF EDUCATION REGULAR MEETING JUNE 14, 2022

The regular board meeting was called to order by President Justin Clark at 5:30 p.m. in the faculty lounge. Board members present were Phil Barnett, Justin Clark, Brandon Kampman and Shelley Maiers; others present were Superintendent Mark Olmstead, Business Manager/Board Secretary Shellee Bartlett, Bob Bartlett and Heather Foster. Board member absent: Tim Backer. Moved by Maiers, seconded by Barnett, to approve agenda. Carried unanimously. Moved by Kampman, seconded by Barnett, to approve the minutes from May 3 & May 16, 2022 meetings. Carried unanimously. Moved by Barnett, seconded by Kampman, to approve May 2022 financial reports and June 2022 bill listing. Carried unanimously. Moved by Barnett, seconded by Maiers, to approve the following resignations: Sandy Miller, Associate; Pam Folkerts, Associate; Justin Jacobs, Asst Boys Basketball; Isabel Leichtman, Asst Girls Basketball; the following recommendations: Lisa Nelson, 2nd Grade @ \$56,370 (MA, Step 14); Brett Schneider, 3rd grade @ \$33,475 (BA, Step 0); Bob Goeller, NHS @ \$744 (2.5%, Step 0); Ashley Sterger, Head Volleyball @ \$4,418 (11%, Step 8); Chris Miller, Asst Football (pending licensure) @ \$2,678 (9%, Step 0); Cody Wildman, study hall associate @ \$14.00; Brenda Dickman, associate @ \$14.00; Jodie Smoot, associate @ \$14.00; Ashleigh Graves, associate @ \$14.00; TLC positions: Jess Mraz, Instructional Coach @ \$6,500 (10 days), Curriculum @ \$1,534.05 (5 days), Mentor @ \$1,300, Mentor Coordinator @ \$975; Bridget Doyle, Model Teacher @ \$1,950 (4 days), Mentor @ \$1,300; Bob Goeller, Model Teacher @ \$1,950 (4 days), Men-

tor @ \$1,300; Alicia Phillips, Model Teacher @ \$1,950 (4 days), Mentor @ \$1,300; Heather Foster, Model Teacher @ \$1,950 (4 days), Mentor @ \$1,300; Anna Shaul, Model Teacher @ \$1,950 (4 days), Mentor @ \$1,300; Sharon Ragsdale, Model Teacher @ \$1,950 (4 days); Mentor @ \$1,300, Assessment Coordinator @ \$975; volunteers: CJ Widmoyer, Cross Country recommendations: Carried unanimously. Moved by Kampman, seconded by Maiers, to approve the 2022-23 student handbooks as presented. Carried unanimously. Moved by Maiers, seconded by Barnett, to approve the 2022-23 classified handbook as presented. Carried unanimously. Moved by Kampman, seconded by Maiers, to approve the 2022-23 certified handbook as presented. Carried unanimously. Moved by Barnett, seconded by Maiers, to approve payment of fiscal year-end bills and claims. Carried unanimously. Moved by Maiers, seconded by Kampman, to approve fund transfer from activity account to balance negative activity account balances due to lost revenue from COVID. Carried unanimously. The Board would like to thank the Alumni Committee for the donation of the beautiful quilt to be displayed at the school. Moved by Maiers, seconded by Kampman, to adjourn at 6:00 p.m. Carried unanimously. Next regular board meeting is scheduled for July 18, 2022, at 5:30 p.m. Clarksville Community School June 2022 Vendor Report Vendor, Description Amount Allison Floral, Graduation Supplies 485.00 Amazon, Supplies 940.47 Bacheldor, Doug, Lunch Refund 7.30 Berends, Steve, Official 100.00 BSN Sports, Supplies 500.00 Buhr, Dean, Official 195.00

Butler County Solid Waste, Waste Removal 70.00 Butler-Bremer Communications, Telephone 265.90 Callie Vance, Lunch Refund 12.35 Capital One - Walmart, Supplies 84.40 Casey's Business MasterCard, Fuel 2,101.47 Central Rivers AEA, Registration 80.00 CenturyLink, Telephone 32.16 City Of Clarksville, Water/Sewer/Marking Dust 1,776.37 Clarksville Lumber, Supplies 3.91 Ecolab Pest Elimination Svcs, Pest Control 84.58 Emergent Architecture, Parking Lot 20,113.75 EMS Detergent Services, Detergent 300.00 Fravel, Diane, Lunch Refund 18.25 Grawe, Caleb, Official 100.00 H2l Group, Fencing 2,734.80 Hanwall & Son Lumber, LLC, Supplies 862.50 Hardy, Cailyn, Official 130.00 Harter, Mike, Official 95.00 Hirsch, LeAnn, Lunch Refund 12.53 Holiday Inn Mercy Campus, Track Hotel 2,816.80 Huisman Automotive, Repairs 1,442.98 Iowa Communications Network, Internet 290.31 Iowa Sports Supply Company, Supplies 1,875.00 Ison, Dawn, Lunch Refund 34.95 Jendro, Waste Removal 32.00 Kellogg, Mitchell, Lunch Refund 21.25 Language Testing International, Testing 25.00 Laues, Eric, Official 130.00 Longus, Ralph, Reimbursement 76.92 Martin Bros, Food/Supplies 4,527.99 McMauley, Charles, Official 95.00 Menards - Waterloo (0360), Supplies 849.99 Mid-America Publishing Co., Publications 220.68 MidAmerican Energy Co, Electric 1,964.28

Midwest 3D Solution, LLC, Supplies 344.00 Midwest Alarm Services, Inspection 850.56 Moon, Steve, Official 95.00 Morrison, Aiden, Official 130.00 NASSCO, Supplies 5,436.83 NASSP/NASC, Membership 385.00 Negen, Teresa, Lunch Refund 192.85 North Butler CSD, Open Enrollment 9,619.30 North Fayette Valley CSD, Entry Fee 60.00 One Source, Background Checks 81.00 Parker, Mark, Official 100.00 Payne, Dayn, Official 95.00 Prairie Farms Dairy, Inc., Dairy 1,284.85 Quill Corporation, Supplies 17.67 Rapids, Supplies 227.51 Schmitt, Brian, Official 130.00 Schmitt, Darren, Official 130.00 School Bus Sales, Vehicle Repairs/Maintenance/Supplies 2,153.56 Skinner, Daniel, Official 95.00 Skinner, Stacey, Official 95.00 Smith, Kevin, Official 95.00 Steve Henning, Lunch Refund 17.15 TC Networks Inc, IT Support 1,087.50 University of Northern Iowa, Tickets 15.00 VISA, Supplies 311.07 Vogel Irrigation Company, Irrigation Maintenance 182.50 W. Chris Holston, Official 95.00 Waste Management, Waste Removal 202.65 Werkman, Dean, Official 95.00 West Music, Supplies 624.10 Willenborg, Nick, Official 100.00 Willis, Ray, Official 100.00 Report Total \$ 69,956.99 Approved by Board of Education 6/14/2022 Board President Date 6/14/2022 Board Secretary Date

NOTICE

THE IOWA DISTRICT COURT FOR BUTLER COUNTY NOTICE OF PROBATE OF WILL, OF APPOINTMENT OF EXECUTOR, AND NOTICE TO CREDITORS IN THE MATTER OF THE ESTATE OF ORLYN L SCHELLHORN, DECEASED CASE NO. ESPR017318

To All Persons Interested in the Estate of Orlyn L Schellhorn, Deceased, who died on or about June 6, 2022: You are hereby notified that on June 15, 2022, the Last Will and Testament of Orlyn J Schellhorn, deceased, bearing date of June 16, 2014, was admitted to probate in the above named court and that Connie S Petersen was appointed Executor of the estate. Any action to set aside the will must be brought in the district court of said county within the later to occur of four months from the date of the second publication of this notice or one month from the date of mailing of this notice to all heirs of the decedent and devisees under the will whose identities are reasonably ascertainable, or thereafter be

forever barred. Notice is further given that all persons indebted to the estate are requested to make immediate payment to the undersigned, and creditors having claims against the estate shall file them with the clerk of the above named district court, as provided by law, duly authenticated, for allowance, and unless so filed by the later to occur of four months from the date of the second publication of this notice or one month from the date of mailing of this notice (unless otherwise allowed or paid) a claim is thereafter forever barred. Dated June 15, 2022. Connie S Petersen, Executor of Estate 423 W Weare St - P O Box 76 Clarksville, IA 50619 Karl A. Nelson, ICIS#: AT0005659 Attorney for Executor Nelson & Toenjes PO 230 Shell Rock, IA 50670 Date of second publication 30th of June, 2022. CS - 25, 26

NOTICE

NOTICE OF PUBLIC HEARING BUTLER COUNTY BOARD OF ADJUSTMENT

The Butler County Board of Adjustment will meet on June 28, 2022, at 7:30 a.m. in the basement meeting room of the Butler County Courthouse. At this meeting the Board will: Hold a Public Hearing on an application by Ted Hoodjer for a variance to the side yard setback for a new house located at 16575 Quarry Ave in SE NE in Section 2, Town-

ship 92 N, Range 16 W of the 5th P.M. All interested parties are encouraged to attend the meeting. Written or oral comments may be submitted to the Butler County Zoning Administrator at the Courthouse, P.O. Box 325, Allison, Iowa or via email at mday@butlercounty.iowa.gov. Misty Day Butler County Zoning Administrator CS - 25

PROCEEDINGS

MINUTES AND PROCEEDINGS OF A REGULAR MEETING OF THE BUTLER COUNTY BOARD OF SUPERVISORS HELD ON JUNE 7, 2022.

Meeting called to order at 9:00 A.M. by Chairman Rusty Eddy with Greg Barnett present. Tom Heidenwirth was absent. Moved by Barnett, second by Eddy to approve the agenda. All ayes. Motion carried. Minutes of the previous meeting were read. Motions by Barnett, second by Eddy to approve the minutes as read. All ayes. Motion carried. During public comment Eddy mentioned a call from the newspaper regarding the public hearing for the Construction Permit Application by Coster Finisher Farm at the May 31st meeting. Discussions were held regarding purpose of the public hearing and application process for construction permit applications. County Attorney, Dave Kuehner, was present and suggested utilizing an acknowledgement of these applications in the same way the Board acknowledges the manure management plans. Barnett and Eddy mentioned a few years ago they decided to hold public hearings on new construction permits for public awareness and in the past have had a vote on the application, even though they acknowledge the vote is not being used beyond the meeting minutes. Auditor Groen commented she did not list an agenda item to review/approve the construction application following the public hearing, because our County BOS vote has no bearing on the application process. Groen suggested the Board members could share their agreement or disagreement with the application during the public hearing and have it recorded in the minutes as such vs. taking an action on a matter out of their control. Eddy and Barnett were both in favor of this option. Motioned by Eddy, second by Barnett to set the date and time for a Public Hearing regarding the Butler County Public Health Addition for June 14th at 9:00 A.M. Groen explained the bid packets from the consulting firm, Shive-Hattery, are being finalized this week. County Engineer, John Riherd, reviewed and recommended to approve a utility permit for IRTUA for a water services line @ 30013 Butler Ave. Motioned by Barnett, second by Eddy to approve the permit. All ayes. Motion carried. Riherd also reviewed and recommended to approve a utility permit

for MidAmerican Energy for multiple road crossings for a rebuild/improvement of existing 34.5kV to 69kV overhead line with 3-phase under build in Parkersburg/New Hartford/Shell Rock area. Motioned by Barnett, second by Eddy to approve the utility permit. All ayes. Motion carried. The Board discussed the dates of upcoming board meetings. The final week of June, there will not be a Board meeting on Tuesday, June 28th, 2022, but instead will be held on Thursday, June 30th, 2022. Due to the fact that there will not be any additional claims to review, there will also not be a Board meeting on Tuesday, July 5th, 2022. Meetings will resume every Tuesday on July 12, 2022. County Sheriff, Jason Johnson, provided the Board with a few Sheriff's updates regarding office personnel and current challenges with getting new vehicles. In addition, new weapons and new vests have been ordered, but they are also experiencing supply chain issues for those items. Additional conversations were had regarding vest expirations. Sheriff Johnson mentioned that three cities (Clarksville, Aplington and Parkersburg) with their own police departments have their own active police chiefs for those cities and those policy chiefs and city councils should be handling those issues. Johnson also provided an update regarding E911 radios for fire and EMS services. Motioned by Barnett, second by Eddy to approve claims. All ayes. Motion carried. The Board acknowledged receipt of Manure Management Plan Short Form Annual Updates for McCandless III Finisher Farm #68556, Reser Finisher Farm #63709, Allison Finisher Farm #63889, Aspen Finisher Farm #71290, Hauser Finisher Farm #58098, Kampman Site #65334, Lindell Limited #58662, Johnson Swine #65937, Snow Rock Dairies LLC #69067 Motioned by Barnett, second by Eddy to adjourn the regular meeting at 9:28 A.M. to June 14, 2022 at 9:00 A.M. All ayes. Motion carried. The above and foregoing is a true and correct copy of the minutes and proceedings of a regular adjourned meeting of the Board of Supervisors of Butler County, Iowa on June 7, 2022. Attest: Leslie Groen Butler County Auditor Rusty Eddy Chairman of the Board of Supervisors CS - 25

NOTICE

2021 WATER QUALITY REPORT FOR CLARKSVILLE WATER SUPPLY

This report contains important information regarding the water quality in our water system. The source of our water is groundwater. Our water quality testing shows the following results:

Table with 7 columns: Contaminant, MCL-(MCLG), Compliance, Date, Violation, Source. Rows include Lead (ppb), Copper (ppm), Sodium (ppm), Nitrate [as N] (ppm).

Note: Contaminants with dates indicate results from the most recent testing done in accordance with regulations. DEFINITIONS Maximum Contaminant Level (MCL) -- The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. Maximum Contaminant Level Goal (MCLG) -- The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. ppm -- parts per billion. ppb -- parts per million. pCi/L -- picocuries per liter N/A -- Not applicable ND -- Not detected RAA -- Running Annual Average Treatment Technique (TT) -- A required process intended to reduce the level of a contaminant in drinking water. Action Level (AL) -- The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow. Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected

risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants. SGL - Single Sample Result RTCR -- Revised Total Coliform Rule NTU -- Nephelometric Turbidity Units GENERAL INFORMATION Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water posed a health risk. More information about contaminants or potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791). Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ trans-

plants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791). If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. CLARKSVILLE WATER SUPPLY is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize

exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. OTHER VIOLATIONS In December 2021 we had a Lead Consumer Notice (Pb/Cu) violation for Lead & Copper Rule. SOURCE WATER ASSESSMENT INFORMATION This water supply obtains its water from the limestone and dolomite of the Devonian aquifer. The Devonian aquifer was determined to be highly susceptible to contamination because the characteristics of the aquifer and overlying materials provide little protection from contamination at the land surface. The Devonian wells will be highly susceptible to surface contaminants such as leaking underground storage tanks, contaminant spills, and excess fertilizer application. A detailed evaluation of your source water was completed by the Iowa Department of Natural Resources and is available from the Water Operator at 877-774-4311. CONTACT INFORMATION For questions regarding this information or how you can get involved in decisions regarding the water system, please contact CLARKSVILLE WATER SUPPLY at 877-774-4311. CS - 25

PROCEEDINGS

MINUTES AND PROCEEDINGS OF A SPECIAL MEETING OF THE BUTLER COUNTY BOARD OF SUPERVISORS HELD ON JUNE 9, 2022.

Meeting called to order at 3:33 P.M. by Chairman Rusty Eddy with members Tom Heidenwirth and Greg Barnett present. County Auditor, Leslie Groen, explained this is our Auditor's office requesting a recount of Precinct 7-PB in Parkersburg, not a candidate, which is called an Administrative Recount and handled differently. Elections Deputy, Matt Wilken, explained the situation and that this was happening at precincts throughout Iowa and affected our Parkersburg precinct. Groen read Resolution 1038 - Auditor's Request for Administrative Recount of the June 7, 2022, Primary Election, and explained the recount will be scheduled for Monday, June 13th to be completed prior to the canvass of votes on June 14, 2022. Mo-

tioned by Barnett, second by Heidenwirth to approve Resolution 1038 as follows: RESOLUTION #1038 AUDITOR'S REQUEST FOR ADMINISTRATIVE RECOUNT OF THE JUNE 7, 2022, PRIMARY ELECTION WHEREAS, The Secretary of State's office notified County Auditors on June 7, 2022, that some counties were experiencing paper jams as voters were inserting their ballots into the tabulator. WHEREAS, the paper jams caused affected tabulators to inadvertently increase by one extra vote. WHEREAS, this situation occurred at Precinct 7-PB in Parkersburg which resulted in 7-PB tabulator having a one ballot difference from the number of voters. WHEREAS, after being directed by the Secretary of State, the signed Declarations of Eligibility forms and the physical ballots were

counted, found to have been equal and recorded in the tally book. In addition, the tabulator's ballot count was recorded with an explanation for the excess ballot. WHEREAS, under the guidance of the Secretary of State's office, the Butler County Auditor's office is requesting an Administrative Recount of Precinct 7-PB, Parkersburg, ballots cast at the June 7, 2022, Primary Election. BE IT RESOLVED by the Board of Supervisors of Butler County, Iowa approve the Auditor's request for an Administrative Recount of Butler County's Precinct 7-PB ballots cast at the June 7, 2022, Primary Election. UPON Roll Call the vote thereon was as follows: AYES: Tom Heidenwirth Rusty Eddy Greg Barnett NAYS: None WHEREUPON, The Resolution was declared duly adopted this 9th

day of June, 2022. Rusty Eddy Leslie Groen Rusty Eddy, Board of Supervisors Chairman ATTEST: Leslie Groen, County Auditor Motioned by Barnett, second by Heidenwirth to adjourn the special meeting at 3:37 P.M. to June 14, 2022 at 9:00 A.M. All ayes. Motion carried. The above and foregoing is a true and correct copy of the minutes and proceedings of a special adjourned meeting of the Board of Supervisors of Butler County, Iowa on June 9, 2022. Attest: Leslie Groen Butler County Auditor Rusty Eddy Chairman of the Board of Supervisors CS - 25

